

AZzardo®



New collection 2024

decorative

AZZARDO®



BULGARIA
VISTA_G LTD
tel.: +359 32 655 877
mobile: +359 888 579 030
e-mail: sales@iml.bg
• www.vista-g.com



CROATIA
REP. OF BOSNIA
AND HERZEGOVINA
MONTENEGRO
REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



CZECH REPUBLIC
AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



HUNGARY
ELTER LTD.
tel.: +36 20 203 4751
e-mail: info@elter.hu
• www.elter.hu



ICELAND
PFAFF
tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.is



NIGERIA
Lights & Finishings EnVogu
Silverado Mall, No. 1A Chief Collins Street,
Off Emma Abimbola Street
Lekki Phase 1, Lagos.
tel.: 08033458196
e-mail: lightingandfittingsev@gmail.com



POLAND
AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com



PORTUGAL
DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt



ROMANIA
JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



SLOVAKIA
AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



UKRAINE
ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax: +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua


PROFORMA
KYIV, EKS KAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.com.ua



UNITED KINGDOM AND IRELAND
IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk

AZzardo[®]


DECORATIVE



Oriol Llahona, Barcelona

He studied Industrial Design at Elisava Universitat Pompeu Fabra Barcelona, Universität Essen, University Southampton and Graduated in 1999 and Postgraduated in 2004. Internship at Franc FernándezArquitecte where he learned to extract the essence and the soul of things. His works have been shown at Milan, Frankfurt and Tokyo..


This is a lamp with extremely simple design but harmonious and beautiful lines. Soft light and good environmental lighting effect.
The design of three sizes enables her to adapt to all kinds of spaces from home to engineering, and can bring a sense of harmonious personality to the space.



„Design thinking can be applied to any product or service. Based in our experience, we focus on next areas to provide meaningful designs.”

Oriol Llahona

PORTOFINO



Portofino 42
AZ5636



Portofino 60
AZ5637




Portofino 80
AZ5638

Technical information



	AZ5636	AZ5637	AZ5638
Code	AZ5636	AZ5637	AZ5638
Color	● sand white / sand black	● sand white / sand black	● sand white / sand black
Material	metal	metal	metal
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	23W	29W	39W
Kelvins	3000K	3000K	3000K
Lumens	1264lm	1706lm	2132lm
Others	Type of control: on/off switch	Type of control: on/off switch	Type of control: on/off switch





TRASIMENO



Trasimeno 95 BK
AZ5639



Trasimeno 120 BK
AZ5640






Trasimeno wall BK
AZ5641

Technical information




	AZ5639	AZ5640	AZ5641
Code	AZ5639	AZ5640	AZ5641
Color	● black	● black	● black
Material	metal / glass	metal / glass	metal / glass
Light source	2 x LED G9 2 x LED intergrated 10W, 3000K, 1282 lm	3 x LED G9 2 x LED intergrated 10W, 3000K, 1281 lm	1 x LED G9 1 x LED intergrated 2,9W, 3000K, 192 lm
Others	Type of control: on/off switch	Type of control: on/off switch	Type of control: on/off switch






SPOLETO



Technical information



Code	AZ5642
Color	● black
Material	metal
Light source	6 x LED intergrated
Power	25W
Kelvins	3000K
Lumens	1397lm








CAPRI



Technical information

	Capri A WH	Capri A BK	Capri A GO
Code	AZ5645	AZ5646	AZ5647
Color	sand white	sand black	gold
Material	metal	metal	metal
Light source	1 x LED intergrated	1 x LED intergrated	1 x LED intergrated
Power	5W	5W	5W
Kelvins	3000K	3000K	3000K
Lumens	361lm	361lm	361lm




CAPRI



Technical information


	Capri B WH	Capri B BK	Capri B GO
Code	AZ5648	AZ5649	AZ5650
Color	○ sand white	● sand black	● gold
Material	metal	metal	metal
Light source	1 x LED intergrated	1 x LED intergrated	1 x LED intergrated
Power	5W	5W	5W
Kelvins	3000K	3000K	3000K
Lumens	36lm	36lm	36lm

	Capri C WH	Capri C BK	Capri C GO
Code	AZ5651	AZ5652	AZ5653
Color	○ sand white	● sand black	● gold
Material	metal	metal	metal
Light source	1 x LED intergrated	1 x LED intergrated	1 x LED intergrated
Power	5W	5W	5W
Kelvins	3000K	3000K	3000K
Lumens	36lm	36lm	36lm



BUBBLES 1

BUBBLES
LAMPBODY



BUBBLES LAMPBODY 1

- black | AZ5918
- gold | AZ5854
- white | AZ5953

BUBBLES
SHADES




BUBBLES GLASS SHADE
CLEAR

- ∅ 12 cm | AZ5955
- ∅ 15 cm | AZ5884
- ∅ 18 cm | AZ5958



BUBBLES
LAMPBODY + SHADE



BUBBLES LAMPBODY 1 + GLASS
SHADE

BUBBLES GLASS SHADE
SMOKY

- ∅ 12 cm | AZ5956
- ∅ 15 cm | AZ5885
- ∅ 18 cm | AZ5959

BUBBLES 1 EXAMPLE SETS



AZ5918 + AZ5955



AZ5918 + AZ5884



AZ5918 + AZ5958



AZ5953 + AZ5956



AZ5953 + AZ5885



AZ5953 + AZ5959



AZ5953 + AZ5955




AZ5953 + AZ5884



AZ5953 + AZ5958

BUBBLES


BUBBLES LAMPBODY



BUBBLES LAMPBODY ROUND 10

- black | AZ5869
- gold | AZ5871
- white | AZ5870


BUBBLES SHADES




BUBBLES GLASS SHADES SET 10

- 3x ∅ 10 cm
- 3x ∅ 12 cm
- 2x ∅ 15 cm
- 2x ∅ 18 cm
- clear AZ5872
- smoky AZ5873

BUBBLES LAMPBODY + SHADE




BUBBLES LAMPBODY ROUND 10 +GLASS SHADES SET 10




BUBBLES LAMPBODY ROUND 15

- black | AZ5875
- gold | AZ5877
- white | AZ5876



BUBBLES GLASS SHADES SET 15

- 6x ∅ 10 cm
- 5x ∅ 12 cm
- 2x ∅ 15 cm
- 2x ∅ 18 cm
- clear AZ5878
- smoky AZ5879



BUBBLES LAMPBODY ROUND 15 +GLASS SHADES SET 15

BUBBLES 10 EXAMPLE SETS



AZ5871 + AZ5872



AZ5869 + AZ5873


BUBBLES 15 EXAMPLE SET



AZ5953 + AZ5955

BUBBLES

BUBBLES LAMPBODY



BUBBLES LAMPBODY LINE 10

- black | AZ5866
- gold | AZ5868
- white | AZ5867


BUBBLES SHADES



BUBBLES GLASS SHADES SET 10

- 3x ∅ 10 cm
- 3x ∅ 12 cm
- 2x ∅ 15 cm
- 2x ∅ 18 cm
- clear AZ5872
- smoky AZ5873

BUBBLES LAMPBODY + SHADE




BUBBLES LAMPBODY LINE 10 + GLASS SHADES SET 10




BUBBLES LAMPBODY WALL

- black | AZ5881
- gold | AZ5883
- white | AZ5882



BUBBLES GLASS SHADES

- 1x ∅ 12 cm
- 1x ∅ 12 cm
- clear AZ5955
- smoky AZ5956



BUBBLES LAMPBODY WAL + GLASS SHADE

BUBBLES LINE 10 EXAMPLE SETS



AZ5866 + AZ5872



AZ5867 + AZ5873

BUBBLES WALL EXAMPLE SET



AZ5875 + AZ5956



AZ5875 + AZ5955



AZ5876 + AZ5955



AZ5876 + AZ5956



AZ5877 + AZ5956



AZ5877 + AZ5955



ISEO



Iseo Wall BK
AZ5631





Iseo Arm Wall BK
AZ5632

Technical information



	AZ5631	AZ5632
Code	AZ5631	AZ5632
Color	● sand black	● sand black
Material	metal	metal
Light source	1 x LED integrated	1 x LED integrated
Power	3W	9W
Kelvins	3000K	3000K
Lumens	159lm	514lm



ISEO



Iseo Top BK
AZ5633



Iseo Table BK
AZ5635



Iseo Pendant BK
AZ5634




Technical information



Code	AZ5633
Color	● sand black
Material	metal
Light source	1 x LED integrated
Power	9W
Kelvins	3000K
Lumens	512lm

Code	AZ5634
Color	● sand black
Material	metal
Light source	1 x LED integrated
Power	7W
Kelvins	3000K
Lumens	407lm

Code	AZ5635
Color	● sand black
Material	metal
Light source	1 x LED integrated
Power	3W
Kelvins	3000K
Lumens	158lm





TWIST



Twist Pendant 3-STEP DIMM BK
AZ5733



Twist Floor 3-STEP DIMM BK
AZ5737




Twist Table 3-STEP DIMM BK
AZ5735

Technical information



	Twist Pendant BK	Twist Table BK	Twist Floor BK
Code	AZ5733	AZ5735	AZ5737
Color	● sand black	● sand black	● sand black
Material	iron / aluminum / PCV	iron / aluminum / PCV	iron / aluminum / PCV
Light source	1 x LED intergrated	1 x LED intergrated	1 x LED intergrated
Power	60W	18W	30W
Kelvins	3000K	3000K	3000K
Lumens	4800lm	1440lm	2400lm
Others	3-step dimmer	3-step dimmer	3-step dimmer







TWIST



Twist Pendant 3-STEP DIMM GO
AZ5734



Twist Floor 3-STEP DIMM GO
AZ5738




Twist Table 3-STEP DIMM GO
AZ5736

Technical information




	Twist Pendant BK	Twist Table BK	Twist Floor BK
Code	AZ5734	AZ5736	AZ5738
Color	● painting gold	● painting gold	● painting gold
Material	iron / aluminum / PCV	iron / aluminum / PCV	iron / aluminum / PCV
Light source	1 x LED intergrated	1 x LED intergrated	1 x LED intergrated
Power	60W	18W	30W
Kelvins	3000K	3000K	3000K
Lumens	4800lm	1440lm	2400lm
Others	3-step dimmer	3-step dimmer	3-step dimmer






GARDA FLOOR





Code AZ5643
Color ● sand black / black linen
Material wood / metal / fabric
Light source 1 x E27



GARDA TABLE

Code AZ5644
Color ● sand black / black linen
Material wood / metal / fabric
Light source 1 x E27



NICOLE



Nicole Pendant CLEAR
AZ6195



Nicole Pendant SMOKY
AZ6196



Nicole Pendant AMBER
AZ6197


Technical information



Code	AZ6195
Color	● sand black / clear
Material	metal / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm

Code	AZ6196
Color	● black chrome / smoky
Material	metal / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm

Code	AZ6197
Color	● bronze / amber
Material	metal / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm



SUZANNE




Suzanne 45 Top/Pendant CL-BK
AZ6198

Technical information



Code	AZ6198
Color	● sand black / clear
Material	steel / aluminium / glass
Light source	LED integrated
Power	35W
Kelvins	3000K
Lumens	2800lm



VINCENT



Vincent 40 BK
AZ6200



Vincent 40 GO
AZ6202



Vincent 60 BK
AZ6201





Vincent 60 GO
AZ6203

Technical information




Code	AZ6200	AZ6201	AZ6202	AZ6203
Color	● sand black	● sand black	● gold	● gold
Material	steel / aluminium	steel / aluminium	steel / aluminium	steel / aluminium
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	32W	48W	30W	35W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	2560lm	3840lm	2400lm	2800lm



EDITH


Edith Pendant SMOKY
AZ6209



Technical information



Code	AZ6208	AZ6209	AZ6210
Color	○ clear / chrome	○ smoky / black chrome	● amber / bronze
Material	glass / acryl / aluminium	glass / acryl / aluminium	glass / acryl / aluminium
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	15W	15W	15W
Kelvins	3000K	3000K	3000K
Lumens	1200lm	1200lm	1200lm



JUSTIN TABLE




Justin Table BK
AZ6211

Technical information



Code	AZ6211
Color	● sand black
Material	aluminium
Light source	1 x LED integrated
Power	3W
Kelvins	3000K
Lumens	240lm



JADE


Jade 2 Pendant BKCH-GO
AZ6212



Technical information



Code	AZ6212	AZ6213
Color	● black chrome / shiny gold	● black chrome / shiny gold
Material	steel / acryl	steel / acryl
Light source	2 x LED integrated	6 x LED integrated
Power	2x 6W	6x 6W
Kelvins	3000K	3000K
Lumens	960lm	2880lm



FELMAN



Felman BEIGE
AZ5899




Felman BK
AZ5900

Technical information



	AZ5899	AZ5900
Code	AZ5899	AZ5900
Color	● beige	● black
Material	pet felt / aluminium	pet felt / aluminium
Light source	1 x LED integrated	1 x LED integrated
Power	12W	12W
Kelvins	3000K	3000K
Lumens	900lm	900lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER







RENE




Rene COFFEE
AZ5901



Rene BEIGE
AZ5902

Technical information

Code	AZ5901	AZ5902
Color	● coffee	● beige
Material	aluminium / acryl	aluminium / acryl
Light source	3 x E27 (only LED)	3 x E27 (only LED)



KELDAN





Keldan 70 WH
AZ5903



Keldan 90 BK
AZ5904

Technical information

Code	AZ5903	AZ5904
Color	○ white	● black
Material	aluminium	aluminium
Light source	1 x E27 (only LED)	1 x E27 (only LED)







FREYA



Freya BEIGE
AZ5907




Freya ORANGE
AZ5906

Technical information



Code	AZ5907	AZ5906
Color	● beige	● orange
Material	pet felt / aluminium / glass	pet felt / aluminium / glass
Light source	1 x LED integrated	1 x LED integrated
Power	7W	7W
Kelvins	3000K	3000K
Lumens	350lm	350lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



STIG




Stig BK
AZ5905

Technical information



Code	AZ5905
Color	● black
Material	aluminium
Light source	1 x LED integrated
Power	12W
Kelvins	3000K
Lumens	950lm
Others	Type of control: TRIAC DIMMER





VIVI



Vivi Floor 2 BK/BK
AZ5726



Vivi Floor 2 GO/BK
AZ5725






Vivi Top 2 BK/BK
AZ5728



Vivi Top 2 GO/BK
AZ5727

Technical information

Code	AZ5725	AZ5726	AZ5727	AZ5728
Color	● sand black / shiny gold	● sand black / sand black	● sand black / shiny gold	● sand black / sand black
Material	iron / aluminium	iron / aluminium	iron / aluminium	iron / aluminium
Light source	2 x GU10 (only LED)	2 x GU10 (only LED)	2 x GU10 (only LED)	2 x GU10 (only LED)
Power	max 10W	max 10W	max 10W	max 10W









VIVI

Pendant 6 BK/BK
AZ5730



Pendant 6 GO/BK
AZ5729



Vivi Pendant 8 BK/BK
AZ5732






Vivi Pendant 8 GO/BK
AZ5731





Technical information

Code	AZ5729	AZ5730	AZ5731	AZ5732
Color	● sand black / shiny gold	● sand black / sand black	● sand black / shiny gold	● sand black / sand black
Material	iron / aluminium	iron / aluminium	iron / aluminium	iron / aluminium
Light source	6 x GU10 (only LED)	6 x GU10 (only LED)	8 x GU10 (only LED)	8 x GU10 (only LED)
Power	max 30W	max 30W	max 40W	max 40W





VERNO 3000K



Technical information

	AZ6260	AZ6262	AZ6264	AZ6310
Code	AZ6260	AZ6262	AZ6264	AZ6310
Color	● sand black	○ sand white	● sand black	○ sand white
Material	aluminium	aluminium	aluminium	aluminium
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	8W	8W	8W	8W
Kelvins	3000K	3000K	3000K	3000K
Lumens	439lm	444lm	439lm	444lm



VERNO 3000K



Verno 3 3000K BK
AZ6312





Verno 5 3000K BK
AZ6314

Technical information



Code	AZ6312
Color	● sand black
Material	aluminium
Light source	3 x LED integrated
Power	15W
Kelvins	3000K
Lumens	624lm


Code	AZ6314
Color	● sand black
Material	aluminium
Light source	5 x LED integrated
Power	27W
Kelvins	3000K
Lumens	1007lm









VERNO 4000K



Technical information

	AZ6261	AZ6263	AZ6309	AZ6311
Code	AZ6261	AZ6263	AZ6309	AZ6311
Color	● sand black	○ sand white	● sand black	○ sand white
Material	aluminium	aluminium	aluminium	aluminium
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	8W	8W	8W	8W
Kelvins	4000K	4000K	4000K	4000K
Lumens	439lm	444lm	439lm	444lm



VERNO 4000K



Verno 3 4000K BK
AZ6313





Verno 5 4000K BK
AZ6315

Technical information



Code	AZ6313
Color	● sand black
Material	aluminium
Light source	3 x LED integrated
Power	15W
Kelvins	4000K
Lumens	624lm

Code	AZ6315
Color	● sand black
Material	aluminium
Light source	5 x LED integrated
Power	27W
Kelvins	4000K
Lumens	1007lm



OWLEN




Owlen BK
AZ5617

Technical information



Code	AZ5617
Color	● black / iron green
Material	iron / acrylic / stone
Light source	1 x LED integrated
Power	SIDE 20W + FRONT 12W CE DRIVER
Kelvins	3100K
Lumens	4379lm



JUPITER




Jupiter
AZ5618


Technical information



Code	AZ5618
Color	● black / iron green
Material	iron / acrylic / stone
Light source	1 x LED integrated
Power	FRONT 50W + BACK 5W CE DRIVER
Kelvins	3100K
Lumens	5406lm




DRAGO



Drago
AZ5619

Technical information

Code	AZ5619
Color	● matt black / white
Material	iron
Light source	1 x E27 (only LED)








CETUS



Cetus
AZ5620

Technical information

Code	AZ5620
Color	● matt black / white
Material	iron
Light source	1 x G9 (only LED)



NEXUS



Nexus BK
AZ5739




Nexus GO
AZ5740

Technical information




Code	AZ5739	AZ5740
Color	● sand black	● electric plating brass
Material	iron / acryl / silicone	iron / acryl / silicone
Light source	1 x LED integrated	1 x LED integrated
Power	9W	9W
Kelvins	3000K	3000K
Lumens	720lm	720lm








PELLE 3-Step DIMM



Pelle 3-Step DIMM BK
AZ5756




Pelle 3-Step DIMM GO
AZ5757

Technical information



Code	AZ5756	AZ5757
Color	● sand black	● painting gold
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	30W	30W
Kelvins	3000K	3000K
Lumens	2440lm	2400lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER



ILIOS 5 Top 3-Step DIMM



Ilios 5 Top 3-Step DIMM BK
AZ5750



Ilios 5 Top 3-Step DIMM GO
AZ5751




Ilios 5 Top 3-Step DIMM WH
AZ5752

Technical information



	AZ5750	AZ5751	AZ5752
Code	AZ5750	AZ5751	AZ5752
Color	● sand black	● brushed gold	○ sand white
Material	iron / aluminium / acryl	iron / aluminium / acryl	iron / aluminium / acryl
Light source	5 x LED integrated 3 x LED integrated	5 x LED integrated 3 x LED integrated	5 x LED integrated 3 x LED integrated
Power	32W	32W	32W
Kelvins	3000K	3000K	3000K
Lumens	2560lm	2560lm	2560lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER



ILIOS 12 Top 3-Step DIMM



Ilios 5 Top 3-Step DIMM
BK
AZ5753



Ilios 5 Top 3-Step DIMM
WH
AZ5755




Ilios 5 Top 3-Step DIMM
GO
AZ5754

Technical information



Code	AZ5753	AZ5754	AZ5755
Color	● sand black	● brushed gold	○ sand white
Material	iron / aluminium / acryl	iron / aluminium / acryl	iron / aluminium / acryl
Light source	12 x LED integrated 4 x LED integrated	12 x LED integrated 4 x LED integrated	12 x LED integrated 4 x LED integrated
Power	64W	64W	64W
Kelvins	3000K	3000K	3000K
Lumens	5120lm	5120lm	5120lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER



ILIOS 1



Ilios 1 Pendant BK
AZ5741



Ilios 1 Pendant GO
AZ5742




Ilios 1 Pendant WH
AZ5743

Technical information



	AZ5741	AZ5742	AZ5743
Code	AZ5741	AZ5742	AZ5743
Color	● sand black	● brushed gold	○ sand white
Material	iron / aluminium / acryl	iron / aluminium / acryl	iron / aluminium / acryl
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	4W	4W	4W
Kelvins	3000K	3000K	3000K
Lumens	320lm	320lm	320lm






ILIOS 12 Pendant 3-Step DIMM



Ilios 12 Pendant 3-Step DIMM BK
AZ5744



Ilios 12 Pendant 3-Step DIMM GO
AZ5745




Ilios 12 Pendant 3-Step DIMM WH
AZ5746

Technical information



Code	AZ5744	AZ5745	AZ5746
Color	● sand black	● brushed gold	○ sand white
Material	iron / aluminium / acryl	iron / aluminium / acryl	iron / aluminium / acryl
Light source	12 x LED integrated 4 x LED integrated	12 x LED integrated 4 x LED integrated	12 x LED integrated 4 x LED integrated
Power	64W	64W	64W
Kelvins	3000K	3000K	3000K
Lumens	5120lm	5120lm	5120lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER




ILIOS 36 Pendant 3-Step DIMM BK



Ilios 36 Pendant 3-Step DIMM BK
AZ5747



Ilios 36 Pendant 3-Step DIMM GO
AZ5748



Ilios 36 Pendant 3-Step DIMM WH
AZ5749


Technical information



Code	AZ5747
Color	● sand black
Material	iron / aluminium / acryl
Light source	36 x LED integrated 4 x LED integrated
Power	160W
Kelvins	3000K
Lumens	12800lm
Others	Type of control: 3-STEP DIMMER

Code	AZ5748
Color	● brushed gold
Material	iron / aluminium / acryl
Light source	36 x LED integrated 4 x LED integrated
Power	160W
Kelvins	3000K
Lumens	12800lm
Others	Type of control: 3-STEP DIMMER

Code	AZ5749
Color	○ sand white
Material	iron / aluminium / acryl
Light source	36 x LED integrated 4 x LED integrated
Power	160W
Kelvins	3000K
Lumens	12800lm
Others	Type of control: 3-STEP DIMMER



FRANK A



Frank A 3000K BK
AZ5758




Frank A 3000K WH
AZ5759

Technical information



	AZ5758	AZ5759
Code	AZ5758	AZ5759
Color	● sand black	○ sand white
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	2 x LED integrated	2 x LED integrated
Power	20W	20W
Kelvins	3000K	3000K
Lumens	1600lm	1600lm



FRANK B



Frank B 3000K BK
AZ5760




Frank B 3000K WH
AZ5761

Technical information



Code	AZ5760	AZ5761
Color	● sand black	○ sand white
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	15W	15W
Kelvins	3000K	3000K
Lumens	1200lm	1200lm




INES



Ines 35 GO
AZ5763

Technical information

Code	AZ5763
Color	● painting gold
Material	iron / glass
Light source	1 x E14





ALAMO Pendant 90 3-Step DIMM



Alamo Pendant 90 3-Step
DIMM BK
AZ5764




Alamo Pendant 90 3-Step
DIMM GO
AZ5765

Technical information



	AZ5764	AZ5765
Code	AZ5764	AZ5765
Color	● sand black	● anodized gold
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	16W	16W
Kelvins	3000K	3000K
Lumens	1280lm	1280lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER




ALAMO Pendant 120 3-Step DIMM



Technical information



Code	AZ5766	AZ5767
Color	● sand black	● anodized gold
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	21W	21W
Kelvins	3000K	3000K
Lumens	1680lm	1680lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER



RIO


Rio 60 3-Step DIMM Bk
AZ5777



Technical information



Code	AZ5777
Color	● sand black / gold
Material	iron / aluminium / leather / pvc
Light source	1 x LED integrated
Power	43W
Kelvins	3000K
Lumens	3440lm
Others	Type of control: 3-STEP TRIAC DIMMER





RIO




Rio 80 3-Step DIMM BK/GO
AZ5778

Technical information



Code	AZ5778
Color	● sand black / gold
Material	iron / aluminium / leather / pvc
Light source	1 x LED integrated
Power	54W
Kelvins	3000K
Lumens	4320lm
Others	Type of control: 3-STEP TRIAC DIMMER



RIO




Rio 50+70 3-Step DIMM
BK/GO
AZ5779


Technical information



Code	AZ5779
Color	● sand black / gold
Material	iron / aluminium / leather / pvc
Light source	2 x LED integrated
Power	86W
Kelvins	3000K
Lumens	6880lm
Others	Type of control: 3-STEP TRIAC DIMMER



SIROCCO 3-Step DIMM




Sirocco 3-Step DIMM GO
AZ5781


Technical information



Code	AZ5781
Color	● painting gold
Material	aluminium / pvc
Light source	1 x LED integrated
Power	34W
Kelvins	3000K
Lumens	2720lm
Others	Type of control: 3-STEP DIM-MER



NIKODEMO V2 Pendant 3000K 3-Step DIMM




Nicodemo V2 Pendant
3000K 3-Step DIMM
AZ5780

Technical information



Code	AZ5780
Color	● painting gold
Material	iron / aluminium / pvc
Light source	2 x LED integrated
Power	60W
Kelvins	3000K
Lumens	4800lm
Others	Type of control: 3-STEP DIM-MER



SPARK Top 40 DIMM



Spark Top 40 DIMM GO
AZ5782




Spark Top 40 DIMM CH
AZ5783

Technical information



Code	AZ5782	AZ5783
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	30W	30W
Kelvins	3000K	3000K
Lumens	1680lm	1680lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



SPARK Top 60 DIMM



Spark Top 60 DIMM GO
AZ5784




Spark Top 60 DIMM CH
AZ5785

Technical information



Code	AZ5784	AZ5785
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	48W	48W
Kelvins	3000K	3000K
Lumens	2560lm	2560lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



SPARK Top 80 DIMM



Spark Top 80 DIMM GO
AZ5786




Spark Top 80 DIMM CH
AZ5787

Technical information



Code	AZ5786	AZ5787
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	72W	72W
Kelvins	3000K	3000K
Lumens	3600lm	3600lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



SPARK Pendant 60 DIMM



Spark Pendant 60 DIMM GO
AZ5788




Spark Pendant 60 DIMM CH
AZ5789

Technical information



Code	AZ5788	AZ5789
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	30W	30W
Kelvins	3000K	3000K
Lumens	2560lm	2560lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



SPARK Pendant 80 DIMM



Spark Pendant 80 DIMM GO
AZ5790




Spark Pendant 80 DIMM CH
AZ5791

Technical information



Code	AZ5790	AZ5791
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	72W	72W
Kelvins	3000K	3000K
Lumens	3600lm	3600lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER







SPARK Pendant 60+80 DIMM



Spark Pendant 60+80 DIMM GO
AZ5792




Spark Pendant 60+80 DIMM CH
AZ5793

Technical information



Code	AZ5792	AZ5793
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	2 x LED integrated	2 x LED integrated
Power	120W	120W
Kelvins	3000K	3000K
Lumens	6160lm	6160lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER



SPARK Pendant 40+60+80 DIMM



Spark Pendant 40+60+80 DIMM GO
AZ5794




Spark Pendant 40+60+80 DIMM CH
AZ5795

Technical information



Code	AZ5794	AZ5795
Color	● gold	○ chrome
Material	iron / glass	iron / glass
Light source	3 x LED integrated	3 x LED integrated
Power	144W	144W
Kelvins	3000K	3000K
Lumens	7840lm	7840lm
Others	Type of control: TRIAC DIMMER	Type of control: TRIAC DIMMER





FLORENCE



Florence Pendant DIMM GO
AZ6187





Florence Wall GO
AZ6188

Technical information



	AZ6187	AZ6188
Code	AZ6187	AZ6188
Color	● electric plating gold / clear	● electric plating gold / clear
Material	iron / crystal	iron / crystal
Light source	1 x LED integrated	1 x LED integrated
Power	36W	10W
Kelvins	4000K	4000K
Lumens	2880lm	800lm
Others	Type of control: 3-STEP TRIAC DIMMER	





ZIGZAK




Zigzag BK
AZ5827

Technical information




Code	AZ5827
Color	● sand black
Material	iron / silicone
Light source	1 x LED integrated
Power	75W
Kelvins	3000K
Lumens	6000lm





NESTOR Top 20



Nestor Top 20 BRASS
AZ5828




Nestor Top 20 BK
AZ5829

Technical information



Code	AZ5828	AZ5829
Color	● electric plating brass	● sand black
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	6W	6W
Kelvins	3000K	3000K
Lumens	480lm	480lm



NESTOR Top 30



Nestor Top 30 BRASS
AZ5830




Nestor Top 30 BK
AZ5831

Technical information



Code	AZ5830	AZ5831
Color	● electric plating brass	● sand black
Material	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated
Power	6W	6W
Kelvins	3000K	3000K
Lumens	480lm	480lm



SERAFINO Top 60 3-Step DIMM



Serafino Top 60 3-Step DIMM
GO/BK
AZ5832





Serafino Top 80 3-Step DIMM
GO/BK
AZ5833

Technical information



Code	AZ5832	AZ5833
Color	● brushed gold / sand black	● brushed gold / sand black
Material	iron / aluminium / pvc	iron / aluminium / pvc
Light source	7 x LED integrated	7 x LED integrated
Power	34W	43W
Kelvins	3000K	3000K
Lumens	2720lm	3440lm
Others	Type of control: 3-STEP DIMMER	Type of control: 3-STEP DIMMER



SERAFINO Pendant 60 3-Step DIMM



Serafino Pendant 60 3-Step
DIMM GO/BK
AZ5834





Serafino Pendant 80 3-Step
DIMM GO/BK
AZ5835

Technical information



Code **AZ5834**
 Color ● brushed gold / sand black
 Material iron / aluminium / pvc
 Light source 7 x LED integrated
 Power 34W
 Kelvins 3000K
 Lumens 2720lm
 Others Type of control: 3-STEP DIMMER

Code **AZ5835**
 Color ● brushed gold / sand black
 Material iron / aluminium / pvc
 Light source 7 x LED integrated
 Power 43W
 Kelvins 3000K
 Lumens 3440lm
 Others Type of control: 3-STEP DIMMER



DALMA 1



Dalma 1 BK
AZ6005




Dalma 1 GO
AZ6006

Technical information



Code	AZ6005	AZ6006
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	1 x LED integrated	1 x LED integrated
Power	4W	4W
Kelvins	3000K	3000K
Lumens	320lm	320lm







DALMA 3



Dalma 3 Round BK
AZ6009




Dalma 3 Round GO
AZ6010

Technical information



Code	AZ6009	AZ6010
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	3 x LED integrated	3 x LED integrated
Power	28W	28W
Kelvins	3000K	3000K
Lumens	2240lm	2240lm



DALMA 5



Dalma 5 Round BK
AZ6007




Dalma 5 Round GO
AZ6008

Technical information



Code	AZ6007	AZ6008
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	5 x LED integrated	5 x LED integrated
Power	28W	28W
Kelvins	3000K	3000K
Lumens	2240lm	2240lm



DALMA 14



Dalma 14 Round BK
AZ6011




Dalma 14 Round GO
AZ6012

Technical information



Code	AZ6011	AZ6012
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	14 x LED integrated	14 x LED integrated
Power	56W	56W
Kelvins	3000K	3000K
Lumens	4480lm	4480lm



EDEM Wall



Edem Wall BK
AZ6013




Edem Wall GO
AZ6014

Technical information



Code	AZ6013	AZ6014
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	1 x LED integrated	1 x LED integrated
Power	4,2W	4,2W
Kelvins	3000K	3000K
Lumens	336lm	336lm



EDEM 1



Edem 1 BK
AZ6015




Edem 1 GO
AZ6016

Technical information



Code	AZ6015	AZ6016
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	1 x LED integrated	1 x LED integrated
Power	4,2W	4,2W
Kelvins	3000K	3000K
Lumens	336lm	336lm



EDEM 3



Edem 3 Round BK
AZ6019




Edem 3 Round GO
AZ6020

Technical information



Code	AZ6019	AZ6020
Color	● sand black / clear	● electric plating gold / clear
Material	mirror stainless steel / acryl	mirror stainless steel / acryl
Light source	3 x LED integrated	3 x LED integrated
Power	21W	21W
Kelvins	3000K	3000K
Lumens	1680lm	1680lm



EDEM 5



Edem 5 Round BK
AZ6017




Edem 5 Round GO
AZ6018

Technical information



Code	AZ6017
Color	● sand black / clear
Material	mirror stainless steel / acryl
Light source	5 x LED integrated
Power	21W
Kelvins	3000K
Lumens	1680lm

Code	AZ6018
Color	● electric plating gold / clear
Material	mirror stainless steel / acryl
Light source	5 x LED integrated
Power	21W
Kelvins	3000K
Lumens	1680lm



Pamela 11 SMOKY




Pamela 11 SMOKY
AZ6267

Technical information



Code	AZ6267
Color	● sand black / smoky
Material	aluminium / glass
Light source	1 x LED integrated
Power	5W





Pamela 20



Pamela 20 CLEAR
AZ5823



Pamela 20 BK SMOKY
AZ5824



Pamela 20 AMBER
AZ6184


Technical information



Code	AZ5823
Color	● sand black / clear
Material	iron / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm

Code	AZ5824
Color	○ black chrome / smoky
Material	iron / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm

Code	AZ6184
Color	● electric plating brass / amber
Material	iron / glass
Light source	1 x LED integrated
Power	8W
Kelvins	3000K
Lumens	640lm



Pamela 27



Pamela 27 CLEAR
AZ5825



Pamela 27 BK SMOKY
AZ5826




Pamela 27 AMBER
AZ6185

Technical information



Code	AZ5825	AZ5826	AZ6185
Color	● sand black / clear	○ black chrome / smoky	● electric plating brass / amber
Material	iron / glass	iron / glass	iron / glass
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	15W	15W	15W
Kelvins	3000K	3000K	3000K
Lumens	1200lm	1200lm	1200lm





Pamela 11 Round 3 Smoky




Pamela 3 Round SMOKY
AZ6268

Technical information



Code	AZ6268
Color	● sand black / smoky
Material	aluminium / glass
Light source	3 x LED integrated
Power	15W



Pamela 11 Round 5 Smoky




Pamela 5 Line SMOKY
AZ6269

Technical information



Code	AZ6269
Color	● sand black / smoky
Material	aluminium / glass
Light source	5 x LED integrated
Power	25W



Pamela 11 Round 7 Smoky




Pamela 7 Round SMOKY
AZ6270

Technical information



Code	AZ6270
Color	● sand black / smoky
Material	aluminium / glass
Light source	7 x LED integrated
Power	35W



GRACE



Grace A CLEAR
AZ6271



Grace B CLEAR
AZ6272




Grace B CLEAR
AZ6294

Technical information

Code **AZ6271**
 Color ○ sand white / clear
 Material aluminium / glass
 Light source 1 x E27 (only LED)

Code **AZ6272**
 Color ○ sand white / clear
 Material aluminium / glass
 Light source 1 x E27 (only LED)

Code **AZ6294**
 Color ○ sand white / clear
 Material aluminium / glass
 Light source 1 x E27 (only LED)





BASENTO CCT Switch



Basento 60 CCT Switch WH
AZ5890



Basento 90 CCT Switch WH
AZ5891






Basento 115 CCT Switch WH
AZ5892

Technical information



Code	AZ5890	AZ5891	AZ5892
Color	○ sand white	○ sand white	○ sand white
Material	aluminium	aluminium	aluminium
Light source	2 x LED integrated	2 x LED integrated	2 x LED integrated
Power	20W	30W	40W
Kelvins	3000 / 4000K	3000 / 4000K	3000 / 4000K
Lumens	1600lm	2400lm	3200lm
Others	Type of control: CCT SWITCH	Type of control: CCT SWITCH	Type of control: CCT SWITCH



BASENTO CCT Switch



Basento 60 CCT Switch BK
AZ5893



Basento 90 CCT Switch BK
AZ5894






Basento 115 CCT Switch BK
AZ5895

Technical information



Code	AZ5893	AZ5894	AZ5895
Color	● sand black	● sand black	● sand black
Material	aluminium	aluminium	aluminium
Light source	2 x LED integrated	2 x LED integrated	2 x LED integrated
Power	20W	30W	40W
Kelvins	3000 / 4000K	3000 / 4000K	3000 / 4000K
Lumens	1600lm	2400lm	3200lm
Others	Type of control: CCT SWITCH	Type of control: CCT SWITCH	Type of control: CCT SWITCH



AMANDA Top 40 CCT Switch 3-Step DIMM



Amanda Top 40 CCT Switch 3-Step
DIMM BK
AZ5768



Amanda Top 40 CCT Switch 3-Step
DIMM WH
AZ5769




Amanda Top 40 CCT Switch 3-Step
DIMM GO
AZ5770

Technical information



Code	AZ5768	AZ5769	AZ5770
Color	● sand black	○ sand white	● brushed gold
Material	iron / aluminium / pvc	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	35W	55W	70W
Kelvins	3000 / 3500 / 4000K	3000 / 3500 / 4000K	3000 / 3500 / 4000K
Others	Type of control: CCT SWITCH + 3-STEP DIMMER	Type of control: CCT SWITCH + 3-STEP DIMMER	Type of control: CCT SWITCH + 3-STEP DIMMER



AMANDA Top 60 CCT Switch 3-Step DIMM



Amanda Top 60 CCT Switch 3-Step
DIMM BK
AZ5771



Amanda Top 60 CCT Switch 3-Step
DIMM WH
AZ5772




Amanda Top 60 CCT Switch 3-Step
DIMM GO
AZ5773

Technical information



	AZ5771	AZ5772	AZ5773
Code	AZ5771	AZ5772	AZ5773
Color	● sand black	○ sand white	● brushed gold
Material	iron / aluminium / pvc	iron / aluminium / pvc	iron / aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	35W	55W	70W
Kelvins	3000 / 3500 / 4000K	3000 / 3500 / 4000K	3000 / 3500 / 4000K
Others	Type of control: CCT SWITCH + 3-STEP DIMMER	Type of control: CCT SWITCH + 3-STEP DIMMER	Type of control: CCT SWITCH + 3-STEP DIMMER



AMANDA Pendant 42+62+82 CCT Switch 3-Step DIMM



Amanda Pendant 42+62+82 CCT
Switch 3-Step DIMM BK
AZ5774




Amanda Pendant 42+62+82 CCT
Switch 3-Step DIMM GO
AZ5775

Technical information



Code	AZ5774
Color	● sand black
Material	iron / aluminium / pvc
Light source	3 x LED integrated
Power	170W
Kelvins	3000 / 3500 / 4000K
Lumens	13600lm
Others	Type of control: CCT SWITCH + 3-STEP DIMMER

Code	AZ5775
Color	● brushed gold
Material	iron / aluminium / pvc
Light source	3 x LED integrated
Power	170W
Kelvins	3000 / 3500 / 4000K
Lumens	13600lm
Others	Type of control: CCT SWITCH + 3-STEP DIMMER





CLARA Top 60 CCT Switch DIMM



Clara Top 60 CCT Switch DIMM WH
AZ5803



Clara Top 60 CCT Switch DIMM BK
AZ5801




Clara Top 60 CCT Switch DIMM
CHABN
AZ5802

Technical information



	AZ5803	AZ5801	AZ5802
Code	AZ5803	AZ5801	AZ5802
Color	○ sand white	● sand black	● champagne ~ brown
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	50W	50W	50W
Kelvins	3000 / 4000 / 6500K	3000 / 4000 / 6500K	3000 / 4000 / 6500K
Lumens	4000lm	4000lm	4000lm
Others	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER



CLARA Top 80 CCT Switch DIMM



Clara Top 80 CCT Switch DIMM WH
AZ5806



Clara Top 80 CCT Switch DIMM BK
AZ5804




Clara Top 80 CCT Switch DIMM
CHABN
AZ5805

Technical information



Code	AZ5806	AZ5804	AZ5805
Color	○ sand white	● sand black	● champagne ~ brown
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	80W	80W	80W
Kelvins	3000 / 4000 / 6500K	3000 / 4000 / 6500K	3000 / 4000 / 6500K
Lumens	6400lm	6400lm	6400lm
Others	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER



CLARA Pendant 15



Clara Pendant 15 WH
AZ5809



Clara Pendant 15 BK
AZ5807




Clara Pendant 15 CHABN
AZ5808

Technical information



	AZ5809	AZ5807	AZ5808
Code	AZ5809	AZ5807	AZ5808
Color	○ sand white	● sand black	● champagne ~ brown
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	12W	12W	12W
Kelvins	3000K	3000K	3000K
Lumens	960lm	960lm	960lm



CLARA Pendant 60 CCT Switch DIMM



Clara Pendant 60 CCT Switch DIMM
WH
AZ5817



Clara Pendant 60 CCT Switch DIMM
BK
AZ5815




Clara Pendant 60 CCT Switch DIMM
CHABN
AZ5816

Technical information



Code	AZ5817	AZ5815	AZ5816
Color	○ sand white	● sand black	● champagne ~ brown
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	50W	50W	50W
Kelvins	3000 / 4000 / 6500K	3000 / 4000 / 6500K	3000 / 4000 / 6500K
Lumens	4000lm	4000lm	4000lm
Others	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER	Type of control: CCT SWITCH + TRIAC DIMMER



Carpa Floor DIMM



Carpa Floor DIMM BK
AZ5908



Carpa Floor DIMM GO
AZ6307




Carpa Floor DIMM WH
AZ5909

Technical information



Code	AZ5908	AZ5909	AZ6307
Color	● black	○ white	● white
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated
Others	Type of control: SLIDER DIMMER	Type of control: SLIDER DIMMER	Type of control: SLIDER DIMMER





ORTA Wall



Orta Wall WH
AZ5625




Orta Wall BK
AZ5626

Technical information



Code	AZ5625	AZ5626
Color	● sand black	○ sand white
Material	iron / aluminium	iron / aluminium
Light source	1 x LED integrated	1 x LED integrated
Power	3W	3W
Kelvins	3000K	3000K
Lumens	208lm	198lm





LUGANO ROUND Wall



Lugano Round Wall WH
AZ5627




Lugano Round Wall BK
AZ5628

Technical information



Code	AZ5627	AZ5628
Color	○ sand white	● sand black
Material	metal	metal
Light source	1 x LED integrated	1 x LED integrated
Power	3W	3W
Kelvins	3000K	3000K
Lumens	213lm	205lm



LUGANO SQUARE Wall



Lugano Squire Wall WH
AZ5654




Lugano Squire Wall BK
AZ5655

Technical information



Code	AZ5654	AZ5655
Color	○ sand white	● sand black
Material	metal	metal
Light source	1 x LED integrated	1 x LED integrated
Power	3W	3W
Kelvins	3000K	3000K
Lumens	206lm	203lm



COMO Round Wall



Como Round Wall WH
AZ5629





Como Round Wall BK
AZ5630

Technical information



Code	AZ5629	AZ5630
Color	○ sand white	● sand black
Material	metal	metal
Light source	1 x LED integrated	1 x LED integrated
Power	3W	3W
Kelvins	3000K	3000K
Lumens	206lm	198lm
Others	Type of control: DIMMER SWITCH	Type of control: DIMMER SWITCH





HYLLA Wall NFC Charge



Hylla Wall NFC Charger WH
AZ5911




Hylla Wall NFC Charger BK
AZ5910

Technical information



Code	AZ5910	AZ5911
Color	● sand black	○ sand white
Material	aluminium	aluminium
Light source	1 x LED integrated	1 x LED integrated
Power	6W	6W
Others	Type of control: USB + NFC CHARGER	Type of control: USB + NFC CHARGER





FINO Table DIMM NFC Charger BK




Fino Table DIMM NFC Charger BK
AZ5913

Technical information




Code	AZ5913
Color	● sand black
Material	aluminium
Light source	1 x LED integrated
Power	6W
Others	Type of control: USB + NFC CHARGER





OLMO Table DIMM NFC Charger BK




Olmo Table DIMM NFC Charger BK
AZ5912

Technical information




Code	AZ5912
Color	● sand black
Material	aluminium / pvc / gum
Light source	1 x LED integrated
Power	3W
Others	Type of control: ON / OFF + LONG DIMM SWITCH + NFC CHARGER









AQUA



SERGIO Mirror 60 HEATED CCT Switch





Sergio Mirror 60 HEATED CCT
Switch BK
AZ5819



Sergio Mirror 60 HEATED CCT
Switch GO
AZ5820

Technical information


Code	AZ5819	AZ5820
Color	● sand black	● brushed gold
Material	iron / aluminium / mirror / pvc	iron / aluminium / mirror / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	40W	40W
Kelvins	3000 / 4000K	3000 / 4000K
Lumens	3200lm	3200lm
Others	Type of control: CCT SWITCH + TOUCH DIMMER	Type of control: CCT SWITCH + TOUCH DIMMER








SERGIO Mirror 80 HEATED CCT Switch




Sergio Mirror 80 HEATED CCT
Switch BK
AZ5821




Sergio Mirror 80 HEATED CCT
Switch GO
AZ5822

Technical information

	AZ5821	AZ5822
Code	AZ5821	AZ5822
Color	● sand black	● brushed gold
Material	iron / aluminium / mirror / pvc	iron / aluminium / mirror / pvc
Light source	1 x LED integrated	1 x LED integrated
Power	55W	55W
Kelvins	3000 / 4000K	3000 / 4000K
Lumens	4400lm	4400lm
Others	Type of control: CCT SWITCH + TOUCH DIMMER	Type of control: CCT SWITCH + TOUCH DIMMER



CCT Switch



3000K 4000K

Touch DIMMER



EPSILON IP44 BK



Epsilon 60 3000K
AZ3347



Epsilon 60 4000K
AZ3348



Epsilon 90 3000K
AZ3349





Epsilon 90 4000K
AZ3350

Technical information



Code	AZ3347	AZ3348	AZ3347	AZ3348
Color	● black	● black	● black	● black
Material	aluminium / PC	aluminium / PC	aluminium / PC	aluminium / PC
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	18W	18W	27W	27W
Kelvins	3000K	4000K	3000K	4000K
Lumens	824lm	850lm	1351lm	1312lm
IP	IP44	IP44	IP44	IP44





EPSILON IP44 WH



Epsilon 60 3000K
AZ5692



Epsilon 60 4000K
AZ5693



Epsilon 90 3000K
AZ5694





Epsilon 90 4000K
AZ5695

Technical information



Code	AZ5692	AZ5693	AZ5694	AZ5695
Color	o sand white	o sand white	o sand white	o sand white
Material	aluminium / PC	aluminium / PC	aluminium / PC	aluminium / PC
Light source	1 x LED integrated	1 x LED integrated	1 x LED integrated	1 x LED integrated
Power	18W	18W	27W	27W
Kelvins	3000K	4000K	3000K	4000K
Lumens	1771lm	1841lm	2521lm	2622lm
IP	IP44	IP44	IP44	IP44







ARNO IP44 CCT Switch BK



Arno IP44 CCT Switch BK
AZ5887



Arno IP44 CCT Switch CH
AZ5888





Arno IP44 CCT Switch WH
AZ5889

Technical information



Code	AZ5887	AZ5888	AZ5889
Color	● sand black	● chrome	○ sand white
Material	aluminium / pvc	aluminium / pvc	aluminium / pvc
Light source	2 x LED integrated	2 x LED integrated	2 x LED integrated
Power	12W	12W	12W
Others	Type of control: CCT SWITCH	Type of control: CCT SWITCH	Type of control: CCT SWITCH



CCT SWITCH



3 000 K 4 000 K

KANT IP44



Kant IP44 BK
AZ6049




Kant IP44 WH
AZ6050



Kant IP44 GO
AZ6051

Technical information

Code	AZ6049	AZ6050	AZ6051
Color	● sand white	○ sand white	● gold
Material	aluminium	aluminium	aluminium
Light source	1 x GU10	1 x GU10	1 x GU10
Power	18W	18W	27W
IP	IP44	IP44	IP44





AZzardo[®]



New collection 2024

technoline

AZZARDO®



BULGARIA
VISTA_G LTD
tel.: +359 32 655 877
mobile: +359 888 579 030
e-mail: sales@iml.bg
• www.vista-g.com



POLAND
AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com



UKRAINE
ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax: +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua



CROATIA
REP. OF BOSNIA
AND HERZEGOVINA
MONTENEGRO
REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



PORTUGAL
DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt

PROFORMA
KYIV, EKS KAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.com.ua



CZECH REPUBLIC
AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



ROMANIA
JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



UNITED KINGDOM AND IRELAND
IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk



HUNGARY
ELTER LTD.
tel.: +36 20 203 4751
e-mail: info@elter.hu
• www.elter.hu



SLOVAKIA
AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



ICELAND
PFAFF
tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.is



NIGERIA
Lights & Finishings EnVogu
Silverado Mall, No. 1A Chief Collins Street,
Off Emma Abimbola Street
Lekki Phase 1, Lagos.
tel.: 08033458196
e-mail: lightingandfittingsev@gmail.com

AZzardo[®]

TECHNOLINE



ALFA

track magnetic





ALFA TRACK MAGNETIC EASYFIX (1m, 1.5m, 2m, 3m)

Colour / new index no.

- ALFA TRACK MAGNETIC EASYFIX 1m BK [AZ5676](#)
- ALFA TRACK MAGNETIC EASYFIX 1.5m BK [AZ5677](#)
- ALFA TRACK MAGNETIC EASYFIX 2m BK [AZ5678](#)
- ALFA TRACK MAGNETIC EASYFIX 3m BK [AZ5679](#)



ALFA TRACK MAGNETIC EASYFIX SPRING x3

- ALFA TRACK MAGNETIC EASYFIX SPRING x3 [AZ5680](#)



ALFA TRACK MAGNETIC EASYFIX SPRING x4

- ALFA TRACK MAGNETIC EASYFIX SPRING x4 [AZ5681](#)



ALFA TRACK MAGNETIC EASYFIX SPRING x5

- ALFA TRACK MAGNETIC EASYFIX SPRING x5 [AZ5683](#)



ALFA TRACK MAGNETIC EASYFIX SPRING x7

- ALFA TRACK MAGNETIC EASYFIX SPRING x7 AZ5684



ALFA TRACK MAGNETIC EASYFIX STRAIGHT END CAP BK

Colour / new index no.


- ALFA TRACK MAGNETIC EASYFIX STRAIGHT END CAP BK AZ5687



ALFA TRACK MAGNETIC STRETCH (1m, 2m, 3m)

Colour / new index no.

- | | |
|-------------------------------------|--------|
| ● ALFA TRACK MAGNETIC EASYFIX 1m BK | AZ5836 |
| ● ALFA TRACK MAGNETIC EASYFIX 2m BK | AZ5837 |
| ● ALFA TRACK MAGNETIC EASYFIX 3m BK | AZ5838 |



ALFA TRACK MAGNETIC STRETCH CORNER90 BK

- ALFA TRACK MAGNETIC STRETCH CORNER90 BK AZ5839

ALFA TRACK MAGNETIC STRETCH CONNECTOR x 4

- ALFA TRACK MAGNETIC STRETCH CONNECTOR x 4 AZ5840

ALFA TRACK MAGNETIC STRETCH END CAP BK

- ALFA TRACK MAGNETIC STRETCH END CAP BK AZ5641

ALFA TRACK MAGNETIC DRIVER 2LINE 60+60W INSIDE BK

- ALFA TRACK MAGNETIC DRIVER 2LINE 60+60W INSIDE BK AZ6230

**ALFA TRACK MAGNETIC DRIVER 2LINE 100+100W
INSIDE BK**

- ALFA TRACK MAGNETIC DRIVER 2LINE 100+100W INSIDE BK [AZ6232](#)

**ALFA TRACK MAGNETIC DRIVER 2LINE 60+60W
DIM INSIDE BK**

- ALFA TRACK MAGNETIC DRIVER 2LINE 60+60W DIM INSIDE BK [AZ6234](#)

**ALFA TRACK MAGNETIC DRIVER 2LINE 100+100W
DIM INSIDE BK**

- ALFA TRACK MAGNETIC DRIVER 2LINE 100+100W DIM INSIDE BK [AZ6235](#)

ALFA TRACK MAGNETIC DRIVER 100W INSIDE BK

- ALFA TRACK MAGNETIC DRIVER 2LINE 100+100W INSIDE BK [AZ4671](#)

ALFA TRACK MAGNETIC DRIVER 200W INSIDE BK


- ALFA TRACK MAGNETIC DRIVER 200W INSIDE BK [AZ4673](#)

**ALFA TRACK MAGNETIC DRIVER 60W DALI INSIDE
BK**

- ALFA TRACK MAGNETIC DRIVER 60W DALI INSIDE BK [AZ6283](#)


Option 1

- individual Turning ON/OFF LINE-1
- individual Turning ON/OFF LINE-2
- individual Dimable L1
- individual Dimable L2




Option 2

- Turning on/off ONLY LINE-1
- Turning on/off ONLY LINE-2
- Dimable L1 & L2 – Together





Option 3

- (Together Dimable&Turning);
- L1 & L2 Turning ON/OFF
 - Dimable L1 & L2 – Together



Option 4

- ONLY Turning;
- Turning on/off ONLY LINE-1
 - Turning on/off ONLY LINE-2



L-1

normal direction

L-2

**change direction
– rotate 180**

(Converst L-1 to L-2)
Turned the lamp 180°. Unplug to the track rail with opposite direction and replace it with LINE-2


ALFA 2LINE

track magnetic





ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line 12W CCT Switch DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6236



ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification


Colour / new index no.

- black AZ6237





ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line 36W CCT Switch DIM Bk
Power	36W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

● black AZ6238



ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line 48W CCT Switch DIM Bk
Power	48W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification



Colour / new index no.

● black AZ6239





ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIM BK



Name	Alfa Kira Track Magnetic 2line 12W CCT Switch DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6240



ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIM BK



Name	Alfa Kira Track Magnetic 2line 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification


Colour / new index no.

- black AZ6241





ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIM BK



Name	Alfa Kira Track Magnetic 2line 36W CCT Switch DIM Bk
Power	36W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6242



ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIM BK



Name	Alfa Kira Track Magnetic 2line 48W CCT Switch DIM Bk
Power	48W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification



Colour / new index no.

- black AZ6243





ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line Corner A 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER + PHASE switch


Technical specification

Colour / new index no.

- black AZ6244



ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIM BK



Name	Alfa Saga Track Magnetic 2line Corner B 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER + PHASE switch

Technical specification

Colour / new index no.

- black AZ6245





ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIM BK



Name	Alfa KIRA Track Magnetic 2line 12w CCT Switch DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24° / 36°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification

Colour / new index no.

- black AZ6246



ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIM BK



Name	Alfa KIRA Track Magnetic 2line 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24° / 36°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification

Colour / new index no.

- black AZ6247





ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIM BK



Name	Alfa Kira Track Magnetic 2line 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24° / 36°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6248



ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIM BK



Name	Alfa Niko Track Magnetic 2line 7W CCT Switch DIM Bk
Power	7W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°/ 38°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification


Colour / new index no.

- black AZ6249





ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIM BK



Name	Alfa Niko Track Magnetic 2line 12W CCT Switch DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°/ 38°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6250



ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIM BK



Name	Alfa Niko Track Magnetic 2line 20W CCT Switch DIM Bk
Power	20W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°/ 38°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification


Colour / new index no.

- black AZ6251





ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIM BK



Name	Alfa Niko 2 Track Magnetic 2line 2x7W CCT Switch DIM Bk
Power	2 x 7W
Light source	2 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER


Technical specification

Colour / new index no.

- black AZ6252



ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIM BK



Name	Alfa Niko 2 Track Magnetic 2line 2x12W CCT Switch DIM Bk
Power	2 x 12W
Light source	2 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification


Colour / new index no.

- black AZ6253





ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIM BK



Name	Alfa Mitus Track Magnetic 2line 18W CCT Switch DIM Bk
Power	18W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°/ 38°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	CCT switch+DIMMER

Technical specification

Colour / new index no.


- black AZ6257





ALFA DALI

track magnetic





ALFA DALI SAGA TRACK MAGNETIC 12W CCT DIMM BK



Name	Alfa Dali Saga Track Magnetic 12W CCT DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000-6000 K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT


Technical specification

Colour / new index no.

- black AZ6284



ALFA DALI SAGA TRACK MAGNETIC 24W CCT DIMM BK



Name	Alfa Dali Saga Track Magnetic 24W CCT DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000-6000 K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT


Technical specification

Colour / new index no.

- black AZ6285



ALFA DALI SAGA TRACK MAGNETIC 24W CORNER A CCT DIMM BK



Name	Alfa DALI Saga Track Magnetic Corner A 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 - 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT


Technical specification

Colour / new index no.

- black AZ6288



ALFA DALI SAGA TRACK MAGNETIC CORNER B 24W CCT SWITCH DIM BK



Name	Alfa DALI Saga Track Magnetic Corner B 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000 - 6000K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT

Technical specification


Colour / new index no.

- black AZ6289





ALFA DALI KIRA TRACK MAGNETIC 12W CCT DIMM BK



Name	Alfa DALI Kira Track Magnetic 12W CCT Switch DIM Bk
Power	12W
Light source	1 x LED integrated
Kelvins	3000-6000 K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT


Technical specification

Colour / new index no.

- black AZ6286



ALFA DALI KIRA TRACK MAGNETIC 24W CCT DIMM BK



Name	Alfa DALI Kira Track Magnetic 24W CCT Switch DIM Bk
Power	24W
Light source	1 x LED integrated
Kelvins	3000-6000 K
Beam angle	120°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT

Technical specification


Colour / new index no.

- black AZ6287





ALFA DALI NIKO TRACK MAGNETIC 7W CCT SWITCH DIM BK



Name	Alfa Dali Niko Track Magnetic 7W CCT Switch DIM Bk
Power	7W
Light source	1 x LED integrated 3000 / 4000 / 6000K 24°/ 38°
Kelvins	
Beam angle	IP20
IP	aluminium / PVC
Material	48V
Voltage	SYSTEM DALI - DIMM / CCT
Type of control	


Technical specification

Colour / new index no.

- black AZ6290



ALFA DALI NIKO TRACK MAGNETIC 12W CCT SWITCH DIM BK



Name	Alfa Dali Niko Track Magnetic 12W CCT Switch DIM Bk
Power	7W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K 24°/ 38°
Beam angle	IP20
IP	aluminium / PVC
Material	48V
Voltage	SYSTEM DALI - DIMM / CCT
Type of control	

Technical specification


Colour / new index no.

- black AZ6291





ALFA DALI NIKO TRACK MAGNETIC 20W CCT SWITCH DIM BK



Name	Alfa Dali Niko Track Magnetic 20W CCT Switch DIM Bk
Power	20W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°/ 38°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT

Technical specification




Colour / new index no.

- black AZ6292



ALFA DALI NIKO 2 TRACK MAGNETIC 2X12W CCT SWITCH DIM BK



Name	Alfa Dali Niko 2 Track Magnetic 2x12W CCT Switch DIM Bk
Power	2 x 12W
Light source	2 x LED integrated
Kelvins	3000 / 4000 / 6000K
Beam angle	24°
IP	IP20
Material	aluminium / PVC
Voltage	48V
Type of control	SYSTEM DALI - DIMM / CCT


Technical specification



Colour / new index no.

- black AZ6293





BETA

track magnetic





Beta Track Magnetic50 Easyfix 230V (1m, 2m, 3m)

Colour / new index no.

- BETA TRACK MAGNETIC50 EASYFIX 230V 1m [AZ6067](#)
- BETA TRACK MAGNETIC50 EASYFIX 230V 2m [AZ6068](#)
- BETA TRACK MAGNETIC50 EASYFIX 230V 3m [AZ6069](#)



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A BK

- BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A BK [AZ6072](#)



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B BK

- BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B BK [AZ6073](#)



BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL BK

- BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL BK [AZ5151](#)

**BETA TRACK MAGNETIC50 EASYFIX 230V MOUNTING PLATE**

- BETA TRACK MAGNETIC50 EASYFIX 230V MOUNTING PLATE

AZ6070

**BETA TRACK MAGNETIC50 EASYFIX 230V END CAP BK**

- BETA TRACK MAGNETIC50 EASYFIX 230V END CAP BK

AZ6074


**BETA TRACK MAGNETIC50 EASYFIX 230V SPRING x1**

- BETA TRACK MAGNETIC50 EASYFIX 230V SPRING x1

AZ6071




INDOOR





LINELIO OPAL 67 CCT DIMM BK



Name	Linelio Opal 67 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	24W
Kelvins	3000 / 4000 / 6500K
Lumens	154lm
Beam angle	120°
CCT	SWITCH
Dimmable	YES


Technical specification

Colour / new index no.

- black AZ5656



LINELIO OPAL 120 CCT DIMM BK



Name	Linelio Opal 120 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	40W
Kelvins	3000 / 4000 / 6500K
Lumens	2700lm
Beam angle	120°
CCT	SWITCH
Dimmable	YES

Technical specification


Colour / new index no.

- black AZ5657





LINELIO OPAL 212 CCT DIMM BK



Name	Linelio Opal 212 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	60W
Kelvins	3000 / 4000 / 6500K
Lumens	4024lm
Beam angle	120°
CCT	SWITCH
Dimmable	YES


Technical specification

Colour / new index no.

- black AZ5658



LINELIO OPAL 318 CCT DIMM BK



Name	Linelio Opal 318 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	90W
Kelvins	3000 / 4000 / 6500K
Lumens	6248lm
Beam angle	120°
CCT	SWITCH
Dimmable	YES

Technical specification


Colour / new index no.

- black AZ5659





LINELIO MIX 67 CCT DIMM



Name	Linelio MIX 67 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	24W
Kelvins	3000 / 4000 / 6500K
Lumens	1576lm
Beam angle	30° + 120°
CCT	SWITCH
Dimmable	YES


Colour / new index no.

- black AZ5660
- white AZ5661

Technical specification



LINELIO MIX 120 CCT DIMM



Name	Linelio MIX 120 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	40W
Kelvins	3000 / 4000 / 6500K
Lumens	2753lm
Beam angle	30° + 120°
CCT	SWITCH
Dimmable	YES

Colour / new index no.


- black AZ5662
- white AZ5663

Technical specification





LINELIO MIX 212 CCT DIMM



Name	Linelio MIX 212 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	60W
Kelvins	3000 / 4000 / 6500K
Lumens	4164lm
Beam angle	30° + 120°
CCT	SWITCH
Dimmable	YES

Colour / new index no.


- black AZ5664

- white AZ5665

Technical specification



LINELIO MIX 318 CCT DIMM



Name	Linelio MIX 318 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	90W
Kelvins	3000 / 4000 / 6500K
Lumens	6512lm
Beam angle	30° + 120°
CCT	SWITCH
Dimmable	YES

Colour / new index no.

- black AZ5666


- white AZ5667

Technical specification





LINELIO POINTS 67 CCT DIMM



Name	Linelio POINTS 67 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	24W
Kelvins	3000 / 4000 / 6500K
Lumens	1572m
Beam angle	30°
CCT	SWITCH
Dimmable	YES


Technical specification

Colour / new index no.

- black AZ5668



LINELIO POINTS 120 CCT DIMM



Name	Linelio POINTS 120 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	40W
Kelvins	3000 / 4000 / 6500K
Lumens	2624lm
Beam angle	30°
CCT	SWITCH
Dimmable	YES

Technical specification


Colour / new index no.

- black AZ5669





LINELIO POINTS 212 CCT DIMM



Name	Linelio POINTS 212 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	60W
Kelvins	3000 / 4000 / 6500K
Lumens	4151lm
Beam angle	30°
CCT	SWITCH
Dimmable	YES


Technical specification

Colour / new index no.

- black AZ5670



LINELIO POINTS 318 CCT DIMM



Name	Linelio POINTS 318 CCT DIMM
IP	IP20
Material	aluminium / pvc
Light source	1 x LED INTEGRATED
Power	90W
Kelvins	3000 / 4000 / 6500K
Lumens	6502lm
Beam angle	30°
CCT	SWITCH
Dimmable	YES

Technical specification

Colour / new index no.

- black AZ5671





OLIMPIA WALL 2

Technical specification



Name	OLIMPIA WALL 2 BK	OLIMPIA WALL 2 WH
IP	IP20	IP20
Material	aluminium/PVC	aluminium/PVC
Light source	2 x LED INTEGRATED	2 x LED INTEGRATED
Power	5W+3W	5W+3W
Kelvins	3000K	3000K
Lumens	400+240lm	400+240lm


Colour / new index no.

● sand black [AZ5965](#)

○ sand white [AZ5966](#)







EXPOSED

downlights








WIKING 12W CCT SWITCH

Technical specification



Name	WIKING 12W CCT SWITCH
IP	IP20
Material	aluminium
Light source	1 x LED INTEGRATED
Power	12W
Kelvins	3000/4000/6000K
Lumens	960lm


Colour / new index no.

- matt black AZ5970
- matt white AZ5971
- gold AZ5972



WIKING 18W CCT SWITCH

Technical specification



Name	WIKING 18W CCT SWITCH
IP	IP20
Material	aluminium
Light source	1 x LED INTEGRATED
Power	15W
Kelvins	3000/4000/6000K
Lumens	1440lm


Colour / new index no.

- matt black AZ5973
- matt white AZ5974
- gold AZ5975



COSTA 12W CCT SWITCH

Technical specification



Name	COSTA 12W CCT SWITCH BK	COSTA 12W CCT SWITCH WH
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	12W	12W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	960lm	960lm
CCT	3-STEP	3-STEP
Tilt	90°	90°
Rotation	350°	350°


Colour / new index no.

- black AZ6031
- white AZ6032



COSTA TOP 12W CCT SWITCH

Technical specification



Name	COSTA TOP 12W CCT SWITCH BK	COSTA TOP 12W CCT SWITCH WH
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	12W	12W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	960lm	960lm
CCT	3-STEP	3-STEP


Colour / new index no.

- black AZ6033
- white AZ6034



COSTA 3000/4000K

Technical specification



Name	COSTA	COSTA
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	12W	12W
Kelvins	3000K	4000K
Lumens	1000lm	1100lm
Tilt	90°	90°
Rotation	350°	350°


Colour / new index no.

○ 3000K	white	AZ2856
● 3000K	black	AZ2857
○ 4000K	white	AZ4554
● 4000K	black	AZ4553



COSTA SPOT

Technical specification



Name	COSTA SPOT BK	COSTA SPOT WH
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	12W	12W
Kelvins	3000K	3000K
Lumens	1020lm	1020m
Tilt	90°	90°
Rotation	350°	350°


Colour / new index no.

○ 3000K	white	AZ2705
● 3000K	black	AZ2706



COSTA ARM

Technical specification



Name	COSTA ARM BK	COSTA ARM WH
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	12W	12W
Kelvins	3000K	3000K
Lumens	1020lm	1020m
Tilt	90°	90°
Rotation	350°	350°

Colour / new index no.


○ white [AZ2703](#)

● black [AZ2702](#)



MONA 12W

Technical specification



Name	MONA 15W CCT SWITCH BK	MONA 15W CCT SWITCH WH
IP	IP20	IP20
Material	aluminium / pvc	aluminium / pvc
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	15W	15W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	1200lm	1200lm
CCT	3-STEP	3-STEP
Tilt	90°	90°
Rotation	350°	350°

Colour / new index no.

○ 3000K white [AZ4538](#)

● 3000K black [AZ4537](#)

○ 4000K white [AZ4540](#)

● 4000K black [AZ4539](#)






MONA 10W CCT SWITCH



Technical specification



Name	MONA 10W CCT SWITCH BK	MONA 10W CCT SWITCH WH
IP	IP20	IP20
Material	aluminium / pvc	aluminium / pvc
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	10W	10W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	800lm	800lm
CCT	3-STEP	3-STEP
Tilt	90°	90°
Rotation	350°	350°


Colour / new index no.

● black [AZ6035](#)○ white [AZ6036](#)

MONA 15W CCT SWITCH



Technical specification



Name	MONA 15W CCT SWITCH BK	MONA 15W CCT SWITCH WH
IP	IP20	IP20
Material	aluminium / pvc	aluminium / pvc
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	15W	15W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Lumens	1200lm	1200lm
CCT	3-STEP	3-STEP
Tilt	90°	90°
Rotation	350°	350°


Colour / new index no.

○ white [AZ6037](#)● black [AZ6038](#)



MONA 18W

Technical specification




Name	MONA 18W BK	MONA 18W BK
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	18W	18W
Kelvins	3000K	3000K
Lumens	1500lm	1500m
Tilt	90°	90°
Rotation	350°	350°

Colour / new index no.

- white AZ4546
- black AZ4546



ONTO



Name	ONTO BK	ONTO WH
Material	aluminium / pvc	aluminium / pvc
Light source	1 x GX53	1 x GX53

Colour / new index no.

- black AZ6265
- white AZ6266



BROSS



Name	BROSS 1 GO
IP	IP20
Material	aluminium
Light source	1 x GU10
Power	max 50W, only LED

Colour / new index no.

● aluminium	AZ0780
● black/aluminium	AZ0779
○ white	AZ0858
◐ white/aluminium	AZ0781
● chrome	AZ0857
◐ white/black	AZ1436
● black/black	AZ2135
◐ black/gold	AZ2955



black/gold



black/black



chrome



black/aluminium



white



white/black



aluminium




white/aluminium





TETRIS 5 10W CCT DIMM

Technical specification



Name	TETRIS 5 10W CCT DIMM WH	TETRIS 5 10W CCT DIMM BK
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	10W	10W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Beam angle	45°	45°
CCT	YES	YES

Colour / new index no.


- black AZ6280
- white AZ6279



TETRIS 10 20W CCT DIMM




Technical specification



Name	TETRIS 10 20W CCT DIMM WH	TETRIS 10 20W CCT DIMM BK
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	20W	20W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Beam angle	45°	45°
CCT	YES	YES

Colour / new index no.

- black AZ6282
- white AZ6281




DOWNLIGHTS





MILIS DIMM

Technical specification



Name	MILIS DIMM BK	MILIS DIMM WH
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	7W	7W
Kelvins	3230K	3230K
Lumens	326lm	326lm
Beam angle	12° - 50°	12° - 50°
CCT	N/A	N/A
Dimmable	YES	YES
Tilt	30°	30°
Rotation	360°	360°

Colour / new index no.


- black AZ6084
- white AZ6085





TETRIS 5 GIPS 10W CCT DIMM

Technical specification



Name	TETRIS 5 GIPS 10W CCT DIMM WH	TETRIS 5 GIPS 10W CCT DIMM BK
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	10W	10W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Beam angle	45°	45°
CCT	YES	YES


Colour / new index no.

- black [AZ6276](#)
- white [AZ6275](#)



TETRIS 10 GIPS 20W CCT DIMM

Technical specification



Name	TETRIS 10 GIPS 20W CCT DIMM WH	TETRIS 10 GIPS 20W CCT DIMM BK
IP	IP20	IP20
Material	aluminium	aluminium
Light source	1 x LED INTEGRATED	1 x LED INTEGRATED
Power	20W	20W
Kelvins	3000 / 4000 / 6000K	3000 / 4000 / 6000K
Beam angle	45°	45°
CCT	YES	YES


Colour / new index no.

- black [AZ6278](#)
- white [AZ6277](#)



TORK 9W

Technical specification



Name	TORK 9W CCT SWITCH WH/BK
IP	IP20
Material	aluminium
Light source	1 x LED INTEGRATED
Power	9W
Kelvins	3000 / 4000K
Lumens	720lm
CCT	2-STEP
Dimmable	YES


Colour / new index no.

● white/black **AZ6086**



TORK 12W

Technical specification



Name	TORK 12W CCT SWITCH WH/BK
IP	IP20
Material	aluminium
Light source	1 x LED INTEGRATED
Power	12W
Kelvins	3000 / 4000K
CCT	2-STEP
Dimmable	YES

Colour / new index no.

● white/black **AZ6087**








OUTDOOR





HEDDA IP54

Technical specification



Name	Hedda IP54 BK
Power	4W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	196lm
Beam angle	120°
IP	IP54
Material	aluminium
Voltage	5V
Type of control	dimmer switch + on / off switch

Colour / new index no.


● black AZ5700





IVER IP54

Technical specification



Name	Iver IP54 3000K DGR	Iver IP54 4000K DGR
Power	20W	20W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3000K	4000K
Lumens	1434lm	1484lm
Beam angle	120°	120°
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	230V
Rotation	355°	355°


Colour / new index no.

- 3000K dark grey [AZ5701](#)
- 4000K dark grey [AZ5702](#)



IVER SENSOR IP54

Technical specification



Name	Iver IP54 Sensor 3000K DGR	Iver IP54 Sensor 4000K DGR
Power	20W	20W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3000K	4000K
Lumens	1434lm	1484lm
Beam angle	120°	120°
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	230V
Type of control	motion sensor	motion sensor
Rotation	355°	355°


Colour / new index no.

- 3000K dark grey [AZ5703](#)
- 4000K dark grey [AZ5704](#)



ELIAS 30 IP65

Technical specification



Name	Elias 30 IP65 3000K DGR	Elias 30 IP65 4000K DGR
Power	13W	13W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3000K	4000K
Lumens	668lm	694lm
Beam angle	120°	120°
IP	IP65	IP65
Material	aluminium	aluminium
Voltage	230V	230V


Colour / new index no.

- 3000K dark grey [AZ5707](#)
- 4000K dark grey [AZ5708](#)



ELIAS 60 IP65

Technical specification



Name	Elias 60 IP65 3000K DGR	Elias 60 IP65 4000K DGR
Power	13W	13W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3000K	4000K
Lumens	668lm	694lm
Beam angle	120°	120°
IP	IP65	IP65
Material	aluminium	aluminium
Voltage	230V	230V

Colour / new index no.


- 3000K dark grey [AZ5709](#)
- 4000K dark grey [AZ5710](#)





SVERRE IP54 BK

Technical specification



Name	Sverre IP54 BK
Power	5W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	359lm
Beam angle	120°
IP	IP54
Material	aluminium
Voltage	230V

Colour / new index no.


- black AZ5711





LENNART 100 IP54

Technical specification



Name	Lennart 100 IP54 3000K BK	Lennart 100 IP54 4000K BK
Power	18W	18W
Light source	2 x LED integrated	2 x LED integrated
Kelvins	3000K	4000K
Lumens	1625lm	1690lm
Beam angle	120°	120°
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	230V


Colour / new index no.

- 3000K black [AZ5696](#)
- 4000K black [AZ5697](#)



LENNART 150 IP54

Technical specification



Name	Lennart 150 IP54 3000K BK	Lennart 150 IP54 4000K BK
Power	24W	24W
Light source	2 x LED integrated	2 x LED integrated
Kelvins	3000K	4000K
Lumens	2342lm	2433lm
Beam angle	120°	120°
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	ON / OFF SWITCH

Colour / new index no.

- 3000K black [AZ5698](#)
- 4000K black [AZ5699](#)







ALVA 60 IP54

Technical specification



Name	Alva 60 IP54 DGR
Power	12W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	646lm
Beam angle	120°
IP	IP54
Material	aluminium / pvc
Voltage	230V


Colour / new index no.

- dark grey AZ5705



ALVA 610 IP54

Technical specification



Name	Alva 610 IP54 DGR
Power	12W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	646lm
Beam angle	120°
IP	IP54
Material	aluminium / pvc
Voltage	230V


Colour / new index no.

- dark grey AZ5706



DURANTE IP54 4000K BK

Technical specification



Name	Durante IP54 4000K BK
Power	21W
Light source	1 x LED integrated
Kelvins	4000K
Lumens	1418lm
Beam angle	120°
IP	IP54
Material	aluminium / pvc
Voltage	230V

Colour / new index no.


- 4000K black AZ5712



SVALA IP54 CCT SWITCH



Technical specification



Name	Svala IP54 CCT Switch BK	Svala IP54 CCT Switch DGR
Power	6W	6W
Light source	2 x LED integrated	2 x LED integrated
Kelvins	3000 / 4000K	3000 / 4000K
Lumens	480lm	480lm
IP	IP54	IP54
Voltage	230V	230V
Type of control	CCT SWITCH	CCT SWITCH

Colour / new index no.


- black AZ5855
- dark grey AZ5856





CONYON IP54 10W CCT Switch

Technical specification



Name	Conyon IP54 10W CCT Switch
Power	10W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Lumens	800lm
Beam angle	120°
IP	IP54
Material	aluminium
Voltage	230V
Type of control	CCT switch


Colour / new index no.

- black AZ6025
- white AZ6026



CONYON IP54 15W CCT Switch

Technical specification



Name	Conyon IP54 15W CCT Switch
Power	10W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Lumens	1200lm
Beam angle	120°
IP	IP54
Material	aluminium
Voltage	230V
Type of control	CCT switch

Colour / new index no.


- black AZ6027
- white AZ6028





CONYON IP54 25W CCT Switch

Technical specification



Name	Conyon IP54 25W CCT Switch
Power	10W
Light source	1 x LED integrated
Kelvins	3000 / 4000 / 6000K
Lumens	2000lm
Beam angle	120°
IP	IP54
Material	aluminium
Voltage	230V
Type of control	CCT switch

Colour / new index no.

- black AZ6029
- white AZ6030





ROTOR IP65

Name	Rotor IP65
Light source	1 x E27
IP	IP65
Material	aluminium

Colour / new index no.

- black AZ6075

- white AZ6066



PAPIKO IP65



Name	Papiko IP65 GO
Light source	1 x GU10
IP	IP65
Material	aluminium
Voltage	230V

Colour / new index no.

- black AZ4216

- white AZ4217


- gold AZ6077 new





ERIN IP54

Technical specification



	Erin IP54 WH	Erin IP54 BK
Name	Erin IP54 WH	Erin IP54 BK
Power	3W	3W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3100K	3100K
Lumens	10,5lm	10,5lm
Beam angle	N/A	N/A
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	230V


Colour / new index no.

- black AZ6080
- white AZ6078



ERIN SENSOR IP54

Technical specification



	Erin IP54 Sensor WH	Erin IP54 Sensor BK
Name	Erin IP54 Sensor WH	Erin IP54 Sensor BK
Power	3W	3W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3100K	3100K
Lumens	10,5lm	10,5lm
IP	IP54	IP54
Material	aluminium	aluminium
Voltage	230V	230V
Type of control	MOTION SENSOR	MOTION SENSOR


Colour / new index no.

- black AZ6081
- white AZ6079



AROS IP67 ST

Technical specification



Name	Aros IP67 3000K ST	Aros IP67 4000K ST
Power	12W	12W
Light source	1 x LED integrated	1 x LED integrated
Kelvins	3000K	4000K
Lumens	960lm	960lm
IP	IP67	IP67
Material	metal	metal
Voltage	230V	230V

Colour / new index no.


- 3000K stainless steel [AZ5843](#)
- 4000K stainless steel [AZ5844](#)





SILL WALL IP54

Technical specification



Name	Sill Wall IP54 3000K BK
Power	9W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	720lm
IP	IP54
Voltage	230V

Colour / new index no.


- black AZ5845



SILL IP54



Technical specification




Name	Sill IP54 3000K BK
Power	9W
Light source	1 x LED integrated
Kelvins	3000K
Lumens	720lm
IP	IP54
Voltage	230V

Colour / new index no.

- black AZ5846

SVAN IP54 BK





Name	Svan IP54 BK
Power	35W
Light source	1 x GU10
IP	IP54
Material	aluminium / pvc
Voltage	230V

Colour / new index no.

- black AZ5859

SVAN SENSOR IP54 BK




Name	Svan Sensor IP54 BK
Power	35W
Light source	1 x GU10
IP	IP54
Material	aluminium / pvc
Voltage	230V
Type of control	MOTION SENSOR

Colour / new index no.

- black AZ5860

TRAST 1 IP54 BK




Name	TraST 1 IP54 BK
Power	35W
Light source	1 x GU10
IP	IP54
Material	aluminium / pvc
Voltage	230V

Colour / new index no.

- black AZ5861

TRAST 2 IP54 BK



Name	TraST 2 IP54 BK
Power	35W
Light source	1 x GU10
IP	IP54
Material	aluminium / pvc
Voltage	230V


Colour / new index no.

- black AZ5862



ROSVIK 25 IP54 3000K

Technical specification



Name	Rosvik 25 IP54 6W 3000K BK	Rosvik 25 IP54 2X 6W 3000K BK
Power	6W	12W
Light source	1 x LED integrated	2 x LED integrated
Kelvins	3000K	3000K
Lumens	480lm	960lm
IP	IP54	IP54
Voltage	230V	230V


Colour / new index no.

- 6W black AZ5847
- 2 x 6W black AZ5848



ROSVIK 50 IP54 3000K

Technical specification



Name	Rosvik 50 IP54 10W 3000K BK	Rosvik 50 IP54 2X 10W 3000K BK
Power	10W	20W
Light source	1 x LED integrated	2 x LED integrated
Kelvins	3000K	3000K
Lumens	800lm	1600lm
IP	IP54	IP54
Voltage	230V	230V

Colour / new index no.


- 10W black AZ5849
- 2 x 10W black AZ5850





ROSVIK 25 IP54 4000K

Technical specification



Name	Rosvik 25 IP54 6W 4000K BK	Rosvik 25 IP54 2X 6W 4000K BK
Power	6W	12W
Light source	1 x LED integrated	2 x LED integrated
Kelvins	4000K	4000K
Lumens	480lm	960lm
IP	IP54	IP54
Voltage	230V	230V


Colour / new index no.

- 6W black [AZ5851](#)
- 2 x 6W black [AZ5852](#)



ROSVIK 50 IP54 4000K

Technical specification




Name	Rosvik 50 IP54 10W 4000K BK	Rosvik 50 IP54 2X 10W 4000K BK
Power	10W	20W
Light source	1 x LED integrated	2 x LED integrated
Kelvins	4000K	4000K
Lumens	800lm	1600lm
IP	IP54	IP54
Voltage	230V	230V

Colour / new index no.

- 10W black [AZ5853](#)
- 2 x 10W black [AZ5854](#)

HAGER 1 WALL IP54 BK




Name	Hager 1 Wall IP54 BK
Power	18W
Light source	1 x E27
IP	IP54
Material	pvc
Voltage	230V

Colour / new index no.

● black AZ5863



HAGER 2 WALL IP54 BK




Name	Hager 2 Wall IP54 BK
Power	36W
Light source	2 x E27
IP	IP54
Material	pvc
Voltage	230V

Colour / new index no.

● black AZ5864

HAGER 50 IP54 BK



Name	Hager 50 IP54 BK
Power	18W
Light source	1 x E27
IP	IP54
Material	pvc
Voltage	230V

Colour / new index no.

● black AZ5865

